



4.7


2FRM5 10 16


Z4S5 10 16

5, 10, 16
315 bar
160 L/min




02	-
03	-
04	-
05	
06-08	







04





HLP46 =40 ± 5





◀ 2FRM5




▲ 2FRM10




▲ 2FRM16



▲ Z4S5




▲ Z4S10



▲ Z4S16


(mm)

2FRM5




- 1-
- 2-
- 3-
- 4- "A"
- 5- "B"
- 6-O 12 x 2.5

4-M5 x 50 GB/T70.1-10.9
 $M_A=8.9\text{Nm}$
,
G44/01(02), G45/01(02)



2FRM5



- 1-
- 2-
- 3-
- 4- $\Phi 20$
- 5-


	D1	D2	T1
G44/01(02)	G1/4(M14 x 1.5)	25	12
G45/01(02)	G1/2(M22 x 1.5)	32	15

(: mm)

- 1-
- 2-
- 3-
- 4-O12 × 2.5
- 5-

:
4-M5 × 80 GB/T70.1-10.9
MA=8.9Nm

S10Z4S16



B1	B2	B3	D1	H1	H2	H3	H4	L1	L2	L3
1.5	82.5	9.5	9	50	30	125	205	95	76	9.5
1.5	101.5	11	11	85	40	147	272	123.5	101.5	11